

CHEMICAL REACTIONS AND REACTING MASSES AND VOLUMES

The meaning of stoichiometric coefficients:

 $2 \text{ H}_2(g) + \text{O}_2(g) \rightarrow 2 \text{ H}_2\text{O}(I)$

- number of reacting particles
 <u>2 molecules</u> of hydrogen react with <u>1 molecule</u> of oxygen to form <u>2 molecules</u> of water
- number of reacting moles
 <u>2 moles</u> of hydrogen react with <u>one mole</u> of oxygen to form <u>2 moles</u> of water
- ratio between reacting substances
 Hydrogen reacts with oxygen to form water in the ratio of number of moles 2:1:2

• ratio of masses of reacting substances

 $2 H_2(g) + O_2(g) \rightarrow 2 H_2O(I)$

	H ₂ (g)	O ₂ (g)	H ₂ O(I)
n	2 mol	1 mol	2 mol
М	2 g·mol ^{−1}	32 g·mol ⁻¹	18 g·mol ⁻¹
$\boldsymbol{m} = \boldsymbol{n} \times \boldsymbol{M}$	4 g	32 g	36 g

Hydrogen reacts with oxygen to form water in the mass ratio of 4:32:36 = 1:8:9

- 1. What mass of hydrogen reacts with:
 - a. $16 \text{ g of } O_2$ b. $8 \text{ g of } O_2$ c. $64 \text{ g of } O_2$ d. $3.2 \text{ g of } O_2$
- 2. What mass of water is produced from:
 a. 2 g of H₂
 b. 64 g of O₂
 c. 8 g of H₂
 d. 320 g of O₂
- 3. What mass of oxygen is needed for:a. the reaction with 1 g of H₂
- c. making 18 g of water
- b. the reaction with 0.4 g of H_2 d. making 360 g of water?
 - a. making co
- ratio of volumes of reacting gases

	H ₂ (g)	O ₂ (g)	H ₂ O(I)
n	2 mol	1 mol	2 mol
$V_{\rm M}$ (for gases only)	22.4 dm ^{3.} mol ^{-1} at s.t.p.	22.4 dm ^{3.} mol ⁻¹ at s.t.p.	-
$V = n \times V_M$	44.8 dm ³ at s.t.p.	22.4 dm ³ at s.t.p.	-

Hydrogen reacts with oxygen in the ratio of volumes: 44.8 : 22.4 = 2 : 1.

TENTO PROJEKT JE SPOLUFINANCOVÁN EVROPSKÝM SOCIÁLNÍM FONDEM A STÁTNÍM ROZPOČTEM ČESKÉ REPUBLIKY - 1 – STOICHIOMETRIC CALCULATIONS



- 4. What volume of hydrogen is needed for the reaction with:
 - a. $4 dm^3$ of O_2
 - b. $100 \text{ dm}^3 \text{ of } O_2$
 - c. $30 \, dm^3$ of O_2 ?
- 5. What volume of oxygen is needed for the reaction with:
 - a. $60 \text{ dm}^3 \text{ of } H_2$
 - b. $15 \text{ dm}^3 \text{ of } H_2$
 - c. $100 \text{ m}^3 \text{ of } H_2$?

	H ₂ (g)	O ₂ (g)	H ₂ O(I)
n	2 mol	1 mol	2 mol
М	4 g	32 g	36 g
V	44.8 dm ³ at s.t.p.	22.4 dm ³ at s.t.p.	-

- 6. What volume of O_2 (at s.t.p.) reacts with:
 - a. $4 g \text{ of } H_2$
 - b. $2 \text{ g of } H_2$
 - c. 12 g of H_2 ?
- 7. What volume of H_2 (at s.t.p.) is needed for making
 - a. $9 g of H_2O$
 - b. $360 \text{ g of } H_2O?$
- 8. What mass of oxygen reacts with:
 - a. 22.4 dm^3 of H_2
 - b. 11.2 dm^3 of H_2
 - c. 89.6 dm^3 of H_2 ? (at s.t.p.)
- 9. What mass of water is made from:
 - a. 224 dm^3 of O_2
 - b. 11.2 dm^3 of H_2 ? (at s.t.p)

Stoichiometric calculations

Calculating the mass:

Worked example: How many grams of silver may be displaced from a silver nitrate solution using 4 g of zinc ?

Method A

Write down and balance the equation of the reaction:	\dots AgNO ₃ + \dots $\underline{Zn} \rightarrow \dots Zn(NO_3)$	₃) ₂ + <u>Ag</u>
Give the ratio between the number of moles of Zn and Ag:	mol	mol

TENTO PROJEKT JE SPOLUFINANCOVÁN EVROPSKÝM SOCIÁLNÍM FONDEM A STÁTNÍM ROZPOČTEM ČESKÉ REPUBLIKY - 2 – STOICHIOMETRIC CALCULATIONS



Give the mass ratio of zinc and silver using the ratio of		
number of moles:	× 65.4 = g	× 108 =g
Write down the masses you know from the question:	g	g
Use the mass ratio to calculate the mass of silver:	X =	

The mass of displaced silver is 13.21 grams.

Method B

moles and its molar mass:

Write down and balance the equation of the reaction:	$2 \text{ AgNO}_3 + \text{Zn} \rightarrow \text{Zn}(\text{NO}_3)_2 + 2 \text{ Ag}$
Calculate the number of moles of reacting zinc using its	
mass and the molar mass:	$n_{\rm Zn} = m_{Zn}/M_{Zn} =$
Use the stoichiometric coefficients to calculate the number of	
moles of displaced silver:	$n_{Ag} = \times n_{Zn} = mol$
Calculate the mass of displaced silver using the number of	$m_{Ag} = n_{Ag} \times M_{Ag} =$
	5 5 5

10. Use both above described methods to calculate how many grams of sodium sulphate may be made by the neutralization of 5.8 g of sodium hydroxide.

Calculating the volumes of reacting substances:

Worked example: Calculate the volume of carbon dioxide (at s.t.p.) displaced from 1000 g of limestone.

Method A	Method B	
$\underline{\text{CaCO}_3} + 2\text{HCI} \rightarrow \underline{\text{CO}_2} + \text{H}_2\text{O} + \text{CaCl}_2$	$\underline{CaCO_3} + 2HCI \rightarrow \underline{CO_2} + H_2O + CaCl_2$	
g dm ³ from the question	$n_{\text{CaCO3}} = m_{\text{CaCO3}}/M_{\text{CaCO3}} =$	
g dm ³ from the equation	$n_{\rm CO2} = \dots n_{\rm CaCO3} =$	
x =	$V_{\rm CO2} = n_{\rm CO2} \times V_{\rm M} =$	

11. Calculate the volume of hydrogen sulphide gas (at s.t.p.) prepared from 100 g of iron (II) sulphide by a reaction with hydrochloric acid.



Calculating the number of moles:

Worked example: What number of moles of HCI is needed for the neutralization of 8 g of Ca(OH)₂?

Method A	Method B
$\dots \underline{Ca(OH)_2} + \dots \underline{HCI} \rightarrow \dots \underline{CaCI_2} + \dots \underline{H_2O}$	$\dots Ca(OH)_2 + \dots HCI \rightarrow \dots CaCl_2 + \dots H_2O$
g moles from the question g moles from the equation	$n_{\text{Ca(OH)2}} = m_{\text{Ca(OH)2}} / M_{\text{Ca(OH)2}} =$ $n_{\text{HCI}} = \dots \times n_{\text{Ca(OH)2}}$
x =	

12. What's the number of moles of ammonia prepared from 12 grams of nitrogen?

Questions:

- 1. A solution containing potassium iodide is precipitated with the excess of silver nitrate forming 2.43 g of silver iodide. What is the mass of potassium iodide present in the solution?
- 2. What mass of calcium carbonate is needed for making 2 kg of quick lime (calcium oxide)?
- 3. What mass of potassium hydroxide is needed for the preparation of 3.4 g of potassium sulphate?
- 4. Chromium may be prepared from chromium (III) oxide using aluminium as a reducing agent. Calculate what mass of aluminium is needed for preparation of 0.1 kg of chromium. What mass of aluminium oxide is made this way?
- 5. What mass of glucose is made from 85 g of carbon dioxide by photosynthesis?
- 6. What mass of sodium ethanoate may be prepared by neutralization of 100 g of ethanoic (acetic) acid?
- 7. Calculate the mass of water made by burning 12 g of ethanol.
- 8. What's the number of moles of hydrogen chloride prepared from 7.09 g of chlorine.
- 9. Calculate the number of moles of water needed to make 20 g of glucose during photosynthesis.
- 10. Calculate what mass of calcium hydroxide reacts with 0.257 moles of hydrogen chloride.
- 11. Calculate the number of moles of oxygen reacting with 250 g of hydrogen to form water.
- 12. What's the volume of ammonia prepared from 15 litres of hydrogen (at s.t.p.)?
- 13. Calculate the volume of hydrogen displaced from sulphuric acid by 7.9 g of aluminium (at s.t.p.).
- 14. How many grams of potassium chlorate (VII) is needed for the preparation of 2 litres of oxygen (at s.t.p.) by its thermal decomposition? (The second product is potassium chloride.)
- 15. Calculate the volume of carbon dioxide at s.t.p. made by complete combustion of 1 kg of 2,2,4-trimethylpentane.
- 16. Potassium permanganate (manganate (VII)) decomposes when heated to potassium manganate (manganate (VI)), manganese (IV) oxide and oxygen. Calculate the mass of potassium permanganate needed for preparation of 0.8 I of oxygen.
- 17. What mass of sodium hydrogen carbonate is needed for the neutralization of 200 ml of 0.1M sulphuric acid?

TENTO PROJEKT JE SPOLUFINANCOVÁN EVROPSKÝM SOCIÁLNÍM FONDEM A STÁTNÍM ROZPOČTEM ČESKÉ REPUBLIKY



- 18. What mass of calcium hydroxide is needed for the neutralization of 30 g of 35% hydrochloric acid? What mass of calcium chloride will be made this way?
- 19. What volume of 96% sulphuric acid ($\rho = 1.8 \text{ g} \cdot \text{cm}^{-3}$) is needed for the neutralization of 16.4 g of sodium hydroxide?
- 20. 200 g of 3% solution of sodium hydroxide reacts completely with iron (III) chloride to make a precipitate of iron (III) hydroxide. What is its mass?
- 21. What's the volume of oxygen prepared from 150 g of 30 % solution of hydrogen peroxide (at s.t.p.)?
- 22. Calculate the volume of carbon dioxide which may be evolved from sodium hydrogencarbonate using 10 ml of 96 % sulphuric acid ($\rho = 1.8 \text{ g} \cdot \text{cm}^{-3}$) (at s.t.p.).
- 23. Calculate the volume of chlorine (at s.t.p.) made from 150 g of 20% solution of sodium chloride during electrolysis.
- 24. What volume of 36 % hydrochloric acid ($\rho = 1.2 \text{ g} \cdot \text{cm}^{-3}$) is needed for dissolving 8 g of limestone (calcium carbonate)? What volume of carbon dioxide (at s.t.p.) is evolved during this reaction ? What number of moles of water and what mass of calcium chloride is made this way?

Answers:

- 1.72 g 1. 2. 3571.4 g 3. 2.2 g 4. 52 g, 98 g 5. 57.9 g 6. 136.7 g 7. 14.1 g 8. 0.2 mol 9. 0.667 mol 10. 9.5 grams 11. 62.5 mol 12. 10 dm^3 13. 9.83 dm³ 14. 6.18 g 15. 1572 dm³ 16. 11.29 g 17. 3.36 g 18. 10.64 g, 15.97 g 19. 11.6 ml 20. 5.35 g 21. 14.82 dm³ 22. 7.9 dm³ 23. 5.74 dm³
- 24. 13.5 ml, 1.79 dm³, 1.44 mol, 8.88 g